



## SAFETY DATA SHEET

### Valspar Trade Interior Wall & Ceiling Matt - Magnolia

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** Valspar Trade Interior Wall & Ceiling Matt - Magnolia  
**Product number** 118.0061205.340, 118.0061205.355, 118.0061205.363

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Water-based paint.  
**Uses advised against** No specific uses advised against are identified.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Valspar  
675 Eskdale Road  
Winnersh  
Reading  
RG41 5TS  
UK  
Tel: 0844 736 9174  
Email: customerservice@valsparpaint.co.uk

##### 1.4. Emergency telephone number

**Emergency telephone** 0844 736 9174  
(0800 - 1700 Monday - Sunday)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification

###### Physical hazards

Not Classified

###### Health hazards

Elicitation - EUH208

###### Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC)

---

##### 2.2. Label elements

###### Hazard statements

EUH208 Contains 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction.

###### Precautionary statements

P102 Keep out of reach of children.

###### VOC Labelling

EU: (cat A/a): 30 g/l (2010)., This product contains a maximum VOC content of 5 g/l.

##### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

Valspar Trade Interior Wall & Ceiling Matt - Magnolia

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

<p><b>Titanium dioxide</b> <span style="float: right;"><b>10-30%</b></span>  <b>CAS number:</b> 13463-67-7 <b>EC number:</b> 236-675-5                  Substance with National workplace exposure limits.</p>
<p><b>Classification</b> <span style="float: right;"><b>Classification (67/548/EEC or 1999/45/EC)</b></span>                  Not Classified</p>
<p><b>2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate, 2-ethylhexyl 2-propenoate and methyl 2-methyl-2-propenoate</b> <span style="float: right;"><b>10-30%</b></span>  <b>CAS number:</b> 59372-10-0 <b>EC number:</b> —                  Substance with National workplace exposure limits.</p>
<p><b>Classification</b> <span style="float: right;"><b>Classification (67/548/EEC or 1999/45/EC)</b></span>                  Not Classified</p>
<p><b>Nepheline syenite</b> <span style="float: right;"><b>5-10%</b></span>  <b>CAS number:</b> 37244-96-5 <b>EC number:</b> —                  Substance with National workplace exposure limits.</p>
<p><b>Classification</b> <span style="float: right;"><b>Classification (67/548/EEC or 1999/45/EC)</b></span>                  Not Classified</p>
<p><b>crystalite</b> <span style="float: right;"><b>1-5%</b></span>  <b>CAS number:</b> 14464-46-1 <b>EC number:</b> 238-455-4</p>
<p><b>Classification</b> <span style="float: right;"><b>Classification (67/548/EEC or 1999/45/EC)</b></span>                  STOT RE 1 - H372 <span style="float: right;">T; R48/23/24/25</span></p>
<p><b>Amorphous silica</b> <span style="float: right;"><b>1-5%</b></span>  <b>CAS number:</b> 112926-00-8 <b>EC number:</b> —                  Substance with National workplace exposure limits.</p>
<p><b>Classification</b> <span style="float: right;"><b>Classification (67/548/EEC or 1999/45/EC)</b></span>                  Not Classified</p>
<p><b>Aluminium hydroxide</b> <span style="float: right;"><b>1-5%</b></span>  <b>CAS number:</b> 21645-51-2 <b>EC number:</b> 244-492-7                  Substance with National workplace exposure limits.</p>
<p><b>Classification</b> <span style="float: right;"><b>Classification (67/548/EEC or 1999/45/EC)</b></span>                  Not Classified</p>

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**Inhalation**

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

**Ingestion**

Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

**Skin contact**

Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

### Eye contact

Remove any contact lenses and open eyelids wide apart. Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

#### Inhalation

No specific symptoms known. However, this product contains VOCs which may cause a Headache.

#### Ingestion

No specific symptoms known. May cause discomfort if swallowed.

#### Skin contact

May be slightly irritating to skin.

#### Eye contact

May be slightly irritating to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes for the doctor

Treat symptomatically. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

#### Specific treatments

No specific chemical antidote is known to be required after exposure to this product.

---

## SECTION 5: Firefighting measures

---

### 5.1. Extinguishing media

#### Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

#### Specific hazards

None known.

#### Hazardous combustion products

Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

### 5.3. Advice for firefighters

#### Protective actions during firefighting

Avoid breathing fire gases or vapours.

#### Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

---

## SECTION 6: Accidental release measures

---

### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Avoid contact with eyes and prolonged skin contact.

### 6.2. Environmental precautions

#### Environmental precautions

The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

Avoid contact with skin, eyes and clothing. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

#### Reference to other sections

For waste disposal, see Section 13.

---

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Usage precautions

Avoid contact with skin, eyes and clothing. Avoid spilling. Special precautions should be taken during surface preparation of pre-1960s paint surfaces over wood and metal as they may contain harmful lead

#### Advice on general occupational hygiene

Clean equipment and the work area every day. Wash contaminated skin thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage precautions

Container must be kept tightly closed when not in use. Protect from freezing and direct sunlight.

### 7.3. Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

---

## **SECTION 8: Exposure Controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limits

##### Titanium dioxide

Long-term exposure limit (8-hour TWA): WEL 4 mg/m<sup>3</sup> respirable dust

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> inhalable dust

##### 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate, 2-ethylhexyl 2-propenoate and methyl 2-methyl-2-propenoate

Long-term exposure limit (8-hour TWA): WEL 2 mg/m<sup>3</sup>

##### Nepheline syenite

Long-term exposure limit (8-hour TWA): WEL 2 mg/m<sup>3</sup>

##### crystalite

Long-term exposure limit (8-hour TWA): WEL 0.1 mg/m<sup>3</sup> respirable dust

##### Amorphous silica

Long-term exposure limit (8-hour TWA): WEL 6 mg/m<sup>3</sup> inhalable dust

Long-term exposure limit (8-hour TWA): WEL 2.4 mg/m<sup>3</sup> respirable dust

##### Aluminium hydroxide

Long-term exposure limit (8-hour TWA): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

### 8.2. Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

#### Hand protection

No specific hand protection recommended.

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

### Other skin and body protection

Wear appropriate clothing to prevent skin contamination.

### Hygiene measures

Wash contaminated skin thoroughly after handling.

### Respiratory protection

Respiratory protection not required. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible.

### Environmental exposure controls

Keep container tightly sealed when not in use.

---

## SECTION 9: Physical and Chemical Properties

---

### 9.1. Information on basic physical and chemical properties

#### Appearance

Liquid.

#### Colour

Beige.

#### Melting point

Not determined.

#### Initial boiling point and range

Not determined.

#### Flash point

Not determined.

#### Evaporation rate

Not determined.

#### Flammability (solid, gas)

Not determined.

#### Upper/lower flammability or explosive limits

Not determined.

#### Vapour pressure

Not determined.

#### Vapour density

Not determined.

#### Relative density

Not determined.

#### Solubility(ies)

Soluble in water.

#### Partition coefficient

Not determined.

#### Auto-ignition temperature

Not determined.

#### Decomposition Temperature

Not determined.

#### Viscosity

Not determined.

#### Explosive properties

Not considered to be explosive.

#### Oxidising properties

Does not meet the criteria for classification as oxidising.

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

### 9.2. Other information

#### Other information

None.

---

## **SECTION 10: Stability and reactivity**

---

### 10.1. Reactivity

There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

#### Stability

Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

Will not polymerise.

### 10.4. Conditions to avoid

Avoid freezing. Avoid heat.

### 10.5. Incompatible materials

#### Materials to avoid

Water-reactive materials. Organic peroxides/hydroperoxides.

### 10.6. Hazardous decomposition products

Does not decompose when used and stored as recommended.

---

## **SECTION 11: Toxicological information**

---

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

##### Notes (oral LD50)

Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

##### Notes (dermal LD50)

Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

##### Notes (inhalation LC50)

Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

##### Animal data

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Respiratory sensitisation

Based on available data the classification criteria are not met.

#### Skin sensitisation

Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

##### Genotoxicity - in vitro

Based on available data the classification criteria are not met.

##### Genotoxicity - in vivo

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

### Reproductive toxicity

#### **Reproductive toxicity - fertility**

Based on available data the classification criteria are not met.

#### **Reproductive toxicity - development**

Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

#### **STOT - single exposure**

Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

#### **STOT - repeated exposure**

Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

Based on available data the classification criteria are not met.

### Toxicological information on ingredients.

2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate, 2-ethylhexyl 2-propenoate and methyl 2-methyl-2-propenoate

#### **Toxicological effects**

Not regarded as a health hazard under current legislation.

#### Nepheline syenite

#### **Toxicological effects**

Not regarded as a health hazard under current legislation.

#### crystalite

### Specific target organ toxicity - repeated exposure

#### **STOT - repeated exposure**

STOT RE 1 - H372 Causes damage to organs through prolonged or repeated exposure.

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

### Amorphous silica

#### Acute toxicity - oral

##### Notes (oral LD50)

Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

##### Notes (dermal LD50)

Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

##### Notes (inhalation LC50)

Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

##### Animal data

Dose: 0.5 g, 4 hours, Rabbit Primary dermal irritation index: 0 REACH dossier information. Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Respiratory sensitisation

No information available.

#### Skin sensitisation

No information available.

#### Germ cell mutagenicity

##### Genotoxicity - in vitro

Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.

##### Genotoxicity - in vivo

Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.

#### Carcinogenicity

NOAEL 3000 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

#### Reproductive toxicity

##### Reproductive toxicity - fertility

One-generation study - NOAEL 497 mg/kg/day, Oral, Rat P REACH dossier information. Based on available data the classification criteria are not met.

##### Reproductive toxicity - development

Maternal toxicity: - NOAEL: 1350 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

#### Specific target organ toxicity - single exposure

##### STOT - single exposure

Not classified as a specific target organ toxicant after a single exposure.

#### Specific target organ toxicity - repeated exposure

##### STOT - repeated exposure

NOEL 7950 mg/kg/day, Oral, Rat REACH dossier information. Not classified as a specific target organ toxicant after repeated exposure.

#### Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.



## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

### Aluminium hydroxide

#### Acute toxicity - oral

##### Notes (oral LD50)

LD<sub>50</sub> > 2000 mg/kg, Rat REACH dossier information. Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

##### Notes (dermal LD50)

No information available. Scientifically unjustified.

#### Acute toxicity - inhalation

##### Acute toxicity inhalation (LC50 dust/mist mg/l)

6.82

##### Notes (inhalation LC50)

REACH dossier information. Based on available data the classification criteria are not met.

##### ATE inhalation (dusts/mists mg/l)

6.82

#### Skin corrosion/irritation

##### Animal data

Dose: 0.5 g, 4 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). REACH dossier information. Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Dose: 0.1 g, 1 hour, Rabbit REACH dossier information. Based on available data the classification criteria are not met.

#### Respiratory sensitisation

No information available.

#### Skin sensitisation

Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

##### Genotoxicity - in vitro

Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.

##### Genotoxicity - in vivo

Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.

#### Reproductive toxicity

##### Reproductive toxicity - fertility

Screening - LOAEL 1000 mg/kg, Oral, Rat P REACH dossier information. Based on available data the classification criteria are not met.

##### Reproductive toxicity - development

Embryotoxicity: - NOAEL: 266 mg/kg/day, Oral, Rat REACH dossier information. This substance has no evidence of toxicity to reproduction.

#### Specific target organ toxicity - single exposure

##### STOT - single exposure

Not classified as a specific target organ toxicant after a single exposure.

#### Specific target organ toxicity - repeated exposure

##### STOT - repeated exposure

NOAEC 10 mg/m<sup>3</sup>, Inhalation, Rat REACH dossier information. Not classified as a specific target organ toxicant after repeated exposure.

#### Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

### SECTION 12: Ecological Information

#### 12.1. Toxicity

The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.

##### Ecological information on ingredients.

##### 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate, 2-ethylhexyl 2-propenoate and methyl 2-methyl-2-propenoate

Not regarded as dangerous for the environment.

##### Nepheline syenite

Not regarded as dangerous for the environment.

##### Amorphous silica

##### **Acute toxicity - fish**

LL0, 96 hours: 10000 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information.

##### **Acute toxicity - aquatic invertebrates**

EL50, 24 hours: > 1000 mg/l, Daphnia magna REACH dossier information.

##### **Acute toxicity - aquatic plants**

No information available.

##### Aluminium hydroxide

##### **Acute toxicity - fish**

NOEC, 96 hours: > 50 mg/l, Lepomis cyanellus (Green sunfish) REACH dossier information.

##### **Acute toxicity - aquatic invertebrates**

EC<sub>50</sub>, 48 hours: 1.9 mg/l, Ceriodaphnia dubia REACH dossier information.

##### **Acute toxicity - aquatic plants**

EC<sub>50</sub>, 72 hours: 61 µg/l, Pseudokirchneriella subcapitata REACH dossier information.

##### **Chronic toxicity - fish early life stage**

NOEC, 7 days: 1553.2 µg/l, Pimephales promelas (Fat-head Minnow) REACH dossier information.

##### **Chronic toxicity - aquatic invertebrates**

NOEC, 7 days: 1.4 mg/l, Ceriodaphnia dubia REACH dossier information.

#### 12.2. Persistence and degradability

##### **Persistence and degradability**

Not determined.

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

### Ecological information on ingredients.

#### 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate, 2-ethylhexyl 2-propenoate and methyl 2-methyl-2-propenoate

##### **Persistence and degradability**

There are no data on the degradability of this product.

#### Nepheline syenite

##### **Persistence and degradability**

There are no data on the degradability of this product.

#### Amorphous silica

##### **Phototransformation**

No information available.

##### **Stability (hydrolysis)**

Not available.

##### **Biodegradation**

Not applicable. Substance is inorganic.

#### Aluminium hydroxide

##### **Stability (hydrolysis)**

No significant reaction in water.

##### **Biodegradation**

Not applicable. Substance is inorganic.

### 12.3. Bioaccumulative potential

No data available on bioaccumulation.

#### **Partition coefficient**

Not determined.

### Ecological information on ingredients.

#### 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate, 2-ethylhexyl 2-propenoate and methyl 2-methyl-2-propenoate

No data available on bioaccumulation.

#### Nepheline syenite

No data available on bioaccumulation.

#### Amorphous silica

The product is not bioaccumulating.

#### Aluminium hydroxide

#### **Partition coefficient**

Not applicable. Substance is inorganic.

### 12.4. Mobility in soil

#### **Mobility**

The product is water-soluble and may spread in water systems.

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

### Ecological information on ingredients.

#### 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate, 2-ethylhexyl 2-propenoate and methyl 2-methyl-2-propenoate

##### **Mobility**

No data available.

#### Nepheline syenite

##### **Mobility**

No data available.

#### Amorphous silica

##### **Mobility**

Slightly soluble in water.

##### **Adsorption/desorption coefficient**

No information available.

##### **Henry's law constant**

Scientifically unjustified.

#### Aluminium hydroxide

##### **Mobility**

The product is insoluble in water and will sediment in water systems.

### **12.5. Results of PBT and vPvB assessment**

This product does not contain any substances classified as PBT or vPvB.

### Ecological information on ingredients.

#### 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate, 2-ethylhexyl 2-propenoate and methyl 2-methyl-2-propenoate

This substance is not classified as PBT or vPvB according to current EU criteria.

#### Nepheline syenite

This substance is not classified as PBT or vPvB according to current EU criteria.

#### Amorphous silica

This substance is not classified as PBT or vPvB according to current EU criteria.

#### Aluminium hydroxide

This substance is not classified as PBT or vPvB according to current EU criteria.

### **12.6. Other adverse effects**

None known.

### Ecological information on ingredients.

#### 2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate, 2-ethylhexyl 2-propenoate and methyl 2-methyl-2-propenoate

None known.

#### Nepheline syenite

None known.

#### Amorphous silica

None known.

#### Aluminium hydroxide

None known.

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### General information

Reuse or recycle products wherever possible.

##### Disposal methods

Dispose of contents/container in accordance with national regulations.

### SECTION 14: Transport information

#### General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

##### Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulations

The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012, SI 2012/1715

##### EU legislation

Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

#### Classification procedures according to Regulation (EC) 1272/2008

EUH208: Calculation method.

#### Revision comments

This is first issue.

#### Revision date

09/01/2015

## Valspar Trade Interior Wall & Ceiling Matt - Magnolia

**SDS number**

800

**Risk phrases in full**

R48/23/24/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

**Hazard statements in full**

EUH208 Contains 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction.

H372 Causes damage to organs through prolonged or repeated exposure.

### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.